

First / Seascape 27 – El Orada

Sale inventory list

GENERAL SPECIFICATIONS

- Year Built: 11/2017
- Hull length: 7,99 m
- Beam: 2,54 m
- Light displacement: 1 400 kg
- Maximum draft:
 - with keel down: 2,0 m
 - with keel up: 0,95 m
- Keel weight: 610 kg
- Mast height (carbon) (from the deck): 10,90 m
- Air draft: 12,20 m
- Height of boat on trailer:
 - - Without the mast: 2,40 m
 - - Without the mast: 2,25 m
- Length on trailer: 11,50 m
- Boom (carbon fibre): 3,5 m
- Retractable bowsprit (carbon fibre): 1,5 m
- Unsinkable volume: 3 m³
- Engine power :
 - Tohatsu 9,8

ARHITECT

- Naval Architect: Manuard YD
- Outside & interior design: GIGODESIGN

EC CERTIFICATE

- Category B – 4 persons
- Category C – 6 persons

STANDARD SAIL LAYOUT AND AREA

- Mainsail classic 28 m²
- Genoa 21 m²
- Asymmetrical Spinnaker 80 m²

CONSTRUCTION

- Design in accordance with European Directive requirements and according to CE certification
- Hull and deck in vacuum-infused vinylester resin, and polyester sandwich with multi-axial unidirectional lamination
- Reinforced infused polyester hull in keel and bow parts
- Moulded deck with anti-slip surface
- 2 Transom hung polyester sandwich rudders
- White gel coat

KEEL CONFIGURATION

- Lifting keel made of lead, cast iron and polyester epoxy composite
- Hydraulic manual keel lifting pump

DECK EQUIPMENT

- Fore and aft pulpits 60 cm with 6 stanchions and wires
- Forward and aft stainless steel mooring cleats
- Stainless steel chainplates for shrouds and forestay
- 1 Opening deck hatch for access to the head (580 x 580mm)
- 1 Opening panel for access and ventilation of the cabin (255 x 255 mm)
- 1 Mainsail traveller with cleats
- 9 Halyard and sheet blockers
- Composite tiller, carbon look + Stick
- 2 Rope bags + 2 Crank bags
- Manual bilge pump
- 2 Hull portholes
- Mooring locker
- Compartment for outboard engine in cockpit bottom with 2 top covers, 1 lower cover and engine mounting
- Aft locker
- Swimming ladder

WINCHES

- 2 Harken STA15 winches for halyards
- 2 Harken STA20 primary winches

MAST AND RIGGING

- Mast and boom made of carbon fibre; mast with 2 set of spreaders
- UV protection on carbon parts (made 2024)
- 19:1 continuous standing rigging and turnbuckles
- Reef and kicker with 8:1 pulley sets built into the boom
- Retractable bowsprit. Manœuvres from the cockpit
- 1 Mainsheet with ball bearing pulleys
- 16:1 kicker
- Jib sheets
- 1 Mainsail halyard Spectra 2:1
- 1 Spectra jib halyard
- 1 Spectra foresail halyard
- 1 Mast head gennaker halyard
- 1 Split gennaker halyard
- 3 Reefing lines
- Asymmetric spinnaker sheets
- 1 Cunningham
- Jib altitude settings
- 2 Jib sheet in-haulers

- Mainsail car adjustment

ELECTRICITY

- LED interior lights
- 1 LED battery light in the head and 2 in the fore cabin
- Three-colour navigation / mooring lights with switch on the dashboard (turn on /off)
- Sentinel boat locating software, monitoring in case of absence (magnetic sensor on the door), battery protection, recording trips, headings, distances, travel time and speed----APP & Password
- Double USB socket
- 1 12 V socket
- Electric dashboard with 5 circuit breakers
- Battery AGM 12 V / 70 A
- Control of the battery breaker
- LCD battery monitoring display
- Electrical installation for electronic options

INTERIOR SPACES

- Partition walls and furniture in satin top coat and gel coat RAL 9003 white on moulded parts for a clean and easy-care finish

SALOON

- Bright and spacious saloon with wide companionway
- Foam-reinforced aluminium mounts, and galley / sink fastenings
- Keel well cover with table fastening
- Cool box 40L / * 2 with refrigerator option
- Berths 4 m with 2 m storage, the rest being devoted to the aft insubmersibility volume 2
- Space for reserves or other systems under the companionway steps, with cover
- 2 Ergonomic companionway steps
- Companionway, door and sliding plexiglass cover (CODE/ PIN)

FORWARD CABIN

- Double V-berth with unsinkable volume underneath
- Light and ventilation provided by the generous access hatch 255 x 255 mm

HEAD

- Marine toilet
- Light and ventilation provided by the deck hatch 580x580 mm

OPTIONS HULL AND DECK

- Hydraulic option for keel lifting

- Antifouling Silicone (2025)
- Anti-osmosis protection: SPRAYED
- Plastimo Contest 101 compass
- Mooring Pack: - Hall anchor 8kg - 8m chains - 40 m of 10 mm diameter rope - 4 Moorings lines (10 m - 12 mm diameter) - 6 Fenders
- Hull sticker – First image

INTERIOR AND COMFORT

- Confort Pack:
- 5 Cushions for fore and aft cabin
- Retractable wooden table
- 2 Folding magnetic doors in the head
- Compartment for sails and equipment in the head
- Choice of colours of cushions
- 6 Textile storage bags
- 2 Extra cushions for the aft seats
- 1 Support for small gas stove + alpine gas cooker
- Gray / white pouf for indoor and outdoor use (other colours on request)
- Manual toilet
- Fresh water tank with pump + cockpit shower hose
- Refrigerator compressor
- Audio pack (Fusion, Bluetooth FM radio, 2 Interior loudspeakers, 2 Waterproof exterior speakers)

ELECTRICITY

- **Solar pack - Solar panel (50 W) – Regulator**

ELECTRONICS PACKS

NKE Race Pack – Key System

- 1 TL25 mast foot multifunction display: 3 LCD high definition displays
- Built-in GPS : position, heading and distance to the waypoint, speed and course over ground
- Regatta function: display of the target speed, display of upwind performance, display of the optimum wind angle, setting of the regatta timer with 2 preprogrammable values
- 1 Gyropilot 2 autopilot
- 1 Autopilot remote control
- 1 NKE WiFi box
- 1 High resolution GPS aerial
- EXTRA (second one) B&G GPS Plotter on mini transat turning pedestal

SAILS AND RIGGING

SAILS (with bags)

- Mainsail 3 reefs – North Sails – Grey Norlon
- Mainsail 2 reefs – North Sails – Black 3Di 2022

- Mainsail 2 reefs – One Sails – Dacron 2025
- Jib 1 reef – North Sails – Grey Norlon
- Jib 1 reef – One Sails – Dacron 2025
- Racing Jib North Sails
- Fractional Gennaker – North Sails – red nylon
- Top Mast racing Genaker NS
- Staysail with furler – North Sails – nordac white
- Code 0 – with furling sistem
- J0 with furling sistem 2022

RIGGING

- Adjustable jib inhauler system
- Boom kicker
- Mast preparation for sliders

PROTECTIVE CASES

- Sunshade as extra
- Boom Cover, jib Cover

ON THE ROAD

- Lifting straps (Lifting system of 4 to 1 points)

SAFETY EQUIPMENT

- 1x 1,5kg fire extinguisher
- Horseshoe, floating light, rope
- 4x safety harness
- 4x life buoyancy aid
- First aid kit
- Hand compass
- Nautical divider
- Nautical triangle
- Sea charts part I and II Croatian coast
- Handheld fog horn
- Radar reflector on the mast

EXTRAS:

- Croatian flag
- Tool box
- Deck brush
- Bucket
- Water hose
- Manuals



© 2. Elahti slalom - JK Orsan | regate.com.hr



© 44. Južnodalmatinska regata - JK Orsan | regate.com.hr

